

2025  
PRODUCT CATALOG



# A NEW ERA

## ACU-LOCK™ SCOPE BRIDGE

25x stronger than traditional scope rails, the ACU-Lock Scope Bridge provides the ultimate foundation for scope stability. The full-length, dual-mounted, machined aluminum bridge allows for more scope adjustment, heavier scope options & provides maximum in-the-field durability.

## CENTERPUNCH HPX ARROW WITH SNAP-IN NOCK

Alpha-Nock HPX snaps into the TriggerTech trigger box & allows you to hear & feel that your arrow is properly locked & loaded.



## ACUSLIDE MAXX™ (PATENTED)

The pinnacle of crossbow cocking & safe de-cocking. Stronger, smoother, & easier to operate, the patented ACUSlide MAXX features the Auto-Brake Gear System. While cocking & de-cocking, you can remove your hand at any point & the handle will stop in place.

## AR-STYLE AMBIDEXTROUS THUMB SAFETY

Conveniently located directly above your firing hand, the safety is effortlessly activated & deactivated with the thumb – allowing you to keep both hands on the crossbow & eyes locked on your game.



## TRIGGERTECH

## TRIGGERTECH PRECISION TRIGGER

Each facet of the TX & TRX Series is designed to extract every millimeter of accuracy from the crossbow, including a custom, hand-built TriggerTech Trigger. Using TriggerTech's patented Zero-Creep Technology™, this 3 lb. trigger features a clean, crisp "break like glass" feel to improve accuracy & precision.







### **TWIN-RISER TECHNOLOGY™ (TRT)**

Foundation of lethal accuracy. 41% lighter & 2x stiffer than traditional risers, Twin-Riser Technology is designed with symmetrical top & bottom plates that reduce riser flex & limb torque to generate a more consistent arrow flight path for greater down-range accuracy.



### **ZERO-TRAC BARREL**

Rail-less design reduces weight & eliminates arrow friction leading to straight nock travel & greater down-range accuracy.



### **GUIDE-LOCK™ ARROW REST SYSTEM**

Features three points of contact for security & stability. The arrow rests on two ball-bearings & is held securely in place by a top-mounted retention brush – giving you durability, longevity, & maximum precision at any distance.



## **TO OUR CUSTOMERS**

We've led the crossbow industry for over 30 years because we are passionate bowhunters. From ownership to management to skilled employees, we see things through the eyes of our customers, having experienced the successes & challenges of bowhunting ourselves.

Since 1994, these experiences have guided us in exploring new concepts, new technologies, & new designs that truly make a difference when you are in the field. At a time when innovation has stagnated for many within the crossbow category, we continue to invest in engineering & continue to launch exciting, meaningful **NEW** crossbows every year.

Whether it's a forward draw crossbow or reverse-draw crossbow, a full-length crossbow or compact crossbow, a premium crossbow or budget-minded crossbow, our 2025 lineup has a crossbow to elevate your hunting experience, & we look forward to sharing in your success this year!

Good Hunting,

**RICK BEDNAR**  
Executive Chairman

**PHIL BEDNAR**  
President | CEO

**STEVE BEDNAR**  
Executive Vice President | COO





# NEW FOR 2025

**NEW** TRX 26™

PAGE 7



**THE FASTEST COMPACT CROSSBOW IN THE WORLD. MEET THE NEW TRX 26.**

Shooting 460 feet-per-second with a micro-footprint & low profile at 26.5" short & 5.75" narrow, the TRX 26 is our lightest & narrowest reverse-draw crossbow ever.

**NEW** TX 28™

PAGE 9



**COMPACT CUTTING-EDGE TECHNOLOGY AT ITS BEST PRICE TAG. MEET THE NEW TX 28.**

Ultra-compact at 28" short & 6.5" narrow, & shooting 410 feet-per-second, the TX 28 delivers a smooth, quiet shot with absolute precision!







## NEW TURBO X™

PAGE 11



The fastest, lightest, & most accurate TenPoint Turbo ever. Shooting 415 FPS & weighing just 6.9-pounds, the Turbo X generates long-range accuracy out to 100-yards. And to top it off, it comes equipped with the **NEW S2 Trigger** & the de-cocking system dealers recommend most – the ACUslide.



### NEW S2 TRIGGER WITH DFP™ (DRY-FIRE-PROHIBITOR)

2-stage, zero-creep design delivers a consistent crisp, 3.5-pound pull. Thanks to the new DFP, you no longer need to worry about the potential of getting stuck on the previous Dry-Fire-Inhibitor (DFI) when cocking or shooting the crossbow – ultimately reducing questions & frustration.

### NEW HARD CASE

AIRLINE-APPROVED  
PAGE 25

Featuring six large, interior storage areas, the drop-in hard case is an all-in-one solution for protecting your crossbow & all necessary equipment during transportation to your hunt.



### NEW AXIS™ XL TRIPOD

PAGE 25

Designed for all hunting situations with ground blind to standing height adjustment, the Axis XL features premium woven carbon fiber legs that provide lightweight durability & rigidity & extends up to 58" standing height - all while maintaining an ultra-compact carry footprint.





# TRX 515™

## THE FASTEST CROSSBOW IN THE WORLD.

SPEED  
**515** FPS

WIDTH  
**6** INCHES

LENGTH  
**29** INCHES

### EXTEND YOUR EFFECTIVE RANGE

Also available with **Garmin® XERO® X11** or **Burris® Oracle X™** Rangefinding Scope.



**ACU-LOCK™**  
SCOPE BRIDGE

**TRIGGERTECH**



**SHIPS FULLY  
ASSEMBLED**



**BUILT IN AMERICA**  
MOGADORE, OHIO

### AVAILABLE FINISHES



VEKTRA™



MOSS GREEN



### ACU-LOCK SCOPE BRIDGE

25x stronger than traditional scope rails to provide the ultimate foundation for scope stability & accuracy.

### TWIN-RISER TECHNOLOGY

41% lighter & 2x stiffer than traditional risers, TRT is designed with symmetrical top & bottom plates that reduce riser flex, noise, & vibration – resulting in unmatched accuracy & greater long-term durability.



### PRECISION TRIGGER

Using TriggerTech's patented Zero-Creep Technology™, this 3 lb. trigger features a clean, crisp "break like glass" feel to improve accuracy & precision.

### CENTERPUNCH HPX ARROW WITH SNAP-IN NOCK

Alpha-Nock HPX snaps into the TriggerTech trigger box & allows you to hear & feel that your arrow is properly locked & loaded.

### AR-STYLE AMBIDEXTROUS THUMB SAFETY

Conveniently located safety allows you to keep both hands on the crossbow & eyes locked on your game.

### ZERO-TRAC BARREL & GUIDE-LOCK ARROW REST SYSTEM

Rail-less design reduces weight & eliminates arrow friction while GUIDE-Lock Rest System fully captures the arrow for unprecedented down-range precision.

### ACUSLIDE MAXX COCKING & SAFE DE-COCKING SYSTEM

(Patented)  
Stronger, smoother, & easier to operate. Remove your hand at any point & the handle stops in place.



### REVERSE-DRAW DESIGN

Generates more speed with less draw weight for a smoother shot, while providing superior balance for increased accuracy.

### COMPACT-FOOTPRINT 29-INCHES



### ULTRA-NARROW 6-INCHES WIDE



# NEW TRX 26™

## THE FASTEST COMPACT CROSSBOW IN THE WORLD.

SPEED  
**460** FPS

WIDTH  
**5.75** INCHES

LENGTH  
**26.5** INCHES

### AVAILABLE FINISHES



VEKTRA™



MOSS GREEN

### EXTEND YOUR EFFECTIVE RANGE

Also available with Burris® Oracle X™ Rangefinding Scope.



**ACU-LOCK™**  
SCOPE BRIDGE



**BUILT IN AMERICA**  
MOGADORE, OHIO



**ACU-LOCK SCOPE BRIDGE**  
25x stronger than traditional scope rails to provide the ultimate foundation for scope stability & accuracy.

### TWIN-RISER TECHNOLOGY

41% lighter & 2x stiffer than traditional risers, TRT is designed with symmetrical top & bottom plates that reduce riser flex, noise, & vibration – resulting in unmatched accuracy & greater long-term durability.



### PRECISION TRIGGER

Using TriggerTech's patented Zero-Creep Technology™, this 3 lb. trigger features a clean, crisp "break like glass" feel to improve accuracy & precision.

### CENTERPUNCH HPX ARROW WITH SNAP-IN NOCK

Alpha-Nock HPX snaps into the TriggerTech trigger box & allows you to hear & feel that your arrow is properly locked & loaded.

### AR-STYLE AMBIDEXTROUS THUMB SAFETY

Conveniently located safety allows you to keep both hands on the crossbow & eyes locked on your game.

### ZERO-TRAC BARREL & GUIDE-LOCK ARROW REST SYSTEM

Rail-less design reduces weight & eliminates arrow friction while GUIDE-Lock Rest System fully captures the arrow for unprecedented down-range precision.

### ACUSLIDE MAXX COCKING & SAFE DE-COCKING SYSTEM

Stronger, smoother, & easier to operate. Remove your hand at any point & the handle stops in place.



### NARROWEST & LIGHTEST REVERSE-DRAW CROSSBOW

Generates more speed with less draw weight for a smoother shot, while providing superior balance for increased accuracy.



**MICRO-FOOTPRINT**  
26.5-INCHES

**ULTRA-NARROW**  
5.75-INCHES WIDE



TX 440™

## THE MOST TECHNOLOGICALLY ADVANCED COMPACT CROSSBOW THE WORLD HAS EVER SEEN.

SPEED  
**440** FPS

WIDTH  
**6.5** INCHES

LENGTH  
**28** INCHES

### EXTEND YOUR EFFECTIVE RANGE

Also available with **Garmin® XERO® X1i** or **Burris® Oracle X™** Rangefinding Scope.



LIMITED  
LIFETIME  
WARRANTY

ACU-LOCK™  
SCOPE BRIDGE

TRIGGERTECH

FACTORY  
PRE-SIGHTED

SHIPS FULLY  
ASSEMBLED



BUILT IN AMERICA  
MOGADORE, OHIO

### AVAILABLE FINISHES



VEKTRA™



MOSS GREEN



### ACU-LOCK SCOPE BRIDGE

25x stronger than traditional scope rails to provide the ultimate foundation for scope stability & accuracy.

### TWIN-RISER TECHNOLOGY

18% lighter & 2x stiffer than traditional risers, TRT is designed with symmetrical top & bottom plates that reduce riser flex, noise, & vibration – resulting in unmatched accuracy & greater long-term durability.

TRIGGERTECH

### PRECISION TRIGGER

Using TriggerTech's patented Zero-Creep Technology™, this 3 lb. trigger features a clean, crisp "break like glass" feel to improve accuracy & precision.

### CENTERPUNCH HPX ARROW WITH SNAP-IN NOCK

Alpha-Nock HPX snaps into the TriggerTech trigger box & allows you to hear & feel that your arrow is properly locked & loaded.

### AR-STYLE AMBIDEXTROUS THUMB SAFETY

Conveniently located safety allows you to keep both hands on the crossbow & eyes locked on your game.

### ZERO-TRAC BARREL & GUIDE-LOCK ARROW REST SYSTEM

Rail-less design reduces weight & eliminates arrow friction while GUIDE-Lock Rest System fully captures the arrow for unprecedented down-range precision.

### ACUSLIDE MAXX COCKING & SAFE DE-COCKING SYSTEM

[Patented] Stronger, smoother, & easier to operate. Remove your hand at any point & the handle stops in place.



ULTRA-NARROW  
6.5-INCHES WIDE

COMPACT-FOOTPRINT  
28-INCHES



CROSSBOWS

AVAILABLE AS COMPLETE PACKAGE SEE PAGES 14-15

TENPOINTCROSSBOWS.COM

8



**NEW TX 28™**

**COMPACT CUTTING-EDGE TECHNOLOGY AT ITS BEST PRICE EVER.**

**SPEED**  
**410** FPS

**WIDTH**  
**6.5** INCHES

**LENGTH**  
**28** INCHES

**AVAILABLE FINISHES**



VEKTRA™



MOSS GREEN



**ACU-LOCK™**  
SCOPE BRIDGE

**TRIGGERTECH**



**SHIPS FULLY ASSEMBLED**



**BUILT IN AMERICA**  
MOGADORE, OHIO



**ACU-LOCK SCOPE BRIDGE**  
25x stronger than traditional scope rails to provide the ultimate foundation for scope stability & accuracy.

**TWIN-RISER TECHNOLOGY**

18% lighter & 2x stiffer than traditional risers, TRT is designed with symmetrical top & bottom plates that reduce riser flex, noise, & vibration – resulting in unmatched accuracy & greater long-term durability.



**PRECISION TRIGGER**

Using TriggerTech's patented Zero-Creep Technology™, this 3 lb. trigger features a clean, crisp "break like glass" feel to improve accuracy & precision.

**CENTERPUNCH HPX ARROW WITH SNAP-IN NOCK**

Alpha-Nock HPX snaps into the TriggerTech trigger box & allows you to hear & feel that your arrow is properly locked & loaded.

**AR-STYLE AMBIDEXTROUS THUMB SAFETY**

Conveniently located safety allows you to keep both hands on the crossbow & eyes locked on your game.

**ZERO-TRAC BARREL & GUIDE-LOCK ARROW REST SYSTEM**

Rail-less design reduces weight & eliminates arrow friction while GUIDE-Lock Rest System fully captures the arrow for unprecedented down-range precision.

**ACUSLIDE MAXX COCKING & SAFE DE-COCKING SYSTEM**

[Patented]  
Stronger, smoother, & easier to operate. Remove your hand at any point & the handle stops in place.



**ULTRA-NARROW**  
**6.5-INCHES WIDE**

**COMPACT-FOOTPRINT**  
**28-INCHES**

# FLATLINE 460™

A MICRO-FOOTPRINT WITH UNMATCHED SPEED & LONG-RANGE ACCURACY.

## AVAILABLE FINISH



VEIL ALPINE™



## EXTEND YOUR EFFECTIVE RANGE

Also available with **Burris® Oracle X™** Rangefinding Scope.

## ULTRA-COMPACT HUNTING SYSTEM

The Flatline 460's micro-footprint is paired with a 16" arrow that takes up 20% less space in the quiver & fits within the frame of the crossbow. This hunting system redefines crossbow maneuverability & performance when inches of clearance matter.

7.5-INCHES WIDE



MICRO-FOOTPRINT  
26.5-INCHES

## SPECIFICATIONS

SPEED	WIDTH	LENGTH
460 FPS	7.5 INCHES	26.5 INCHES



### SCOPE STRUTS

Provide a rock-solid foundation for optics to deliver long-range accuracy & "bulletproof" in-the-field durability.

### ACU-SLIDE COCKING & DE-COCKING SYSTEM

Provides silent cocking & safe de-cocking. Remove your hand at any point & the handle stops in place.

### REVERSE-DRAW DESIGN

Generates more speed with less draw weight for a smoother shot, & provides superior balance for increased accuracy.

### 100-YARD EVO-X® MARKSMAN™ ELITE SCOPE

Variable speed scope maximizes accuracy out to 100-yards & built for speeds up to 550 FPS.

SHIPS FULLY ASSEMBLED

### NEW S2 TRIGGER

2-stage, zero-creep design features a NEW DFP (Dry-Fire-Prohibitor) & roller sear system for greater trigger control & precision down-range accuracy.

### SENTRY BOWHANGER

Easily hang your bow in the stand or protect your broadhead from dirt & grit in the ground blind.

# SIEGE 425™

SPEED & PERFORMANCE FROM A MICRO-FOOTPRINT.

## AVAILABLE FINISHES



VEIKTRA™



MOSS GREEN



## ULTRA-COMPACT HUNTING SYSTEM

The Siege 425's micro-footprint is paired with a 16" arrow that takes up 20% less space in the quiver & fits within the frame of the crossbow. This hunting system redefines crossbow maneuverability & performance when inches of clearance matter.

7.5-INCHES WIDE



MICRO-FOOTPRINT  
26.5-INCHES

## SPECIFICATIONS

SPEED	WIDTH	LENGTH
425 FPS	7.5 INCHES	26.5 INCHES



### SCOPE STRUTS

Provide a rock-solid foundation for optics to deliver long-range accuracy & "bulletproof" in-the-field durability.

### ACU-SLIDE COCKING & DE-COCKING SYSTEM

Provides silent cocking & safe de-cocking. Remove your hand at any point & the handle stops in place.

### REVERSE-DRAW DESIGN

Generates more speed with less draw weight for a smoother shot, & provides superior balance for increased accuracy.

### 100-YARD RANGEMASTER 100 SCOPE

Variable speed scope maximizes accuracy out to 100-yards.

SHIPS FULLY ASSEMBLED

### NEW S2 TRIGGER

2-stage, zero-creep design features a NEW DFP (Dry-Fire-Prohibitor) & roller sear system for greater trigger control & precision down-range accuracy.

### SENTRY BOWHANGER

Easily hang your bow in the stand or protect your broadhead from dirt & grit in the ground blind.



## STEALTH 450™

OUR FASTEST FORWARD DRAW CROSSBOW NOW AT A LOWER PRICE.

## AVAILABLE FINISH



VEIL ALPINE™

ULTRA-NARROW  
6.5-INCHES WIDE

## EXTEND YOUR EFFECTIVE RANGE

Also available with Burris® Oracle X™  
Rangefinding Scope.

## SPECIFICATIONS

SPEED	WIDTH	LENGTH
<b>450</b> FPS	<b>6.5</b> INCHES	<b>33</b> INCHES

**ACUSLIDE COCKING & DE-COCKING SYSTEM**  
(Patented)

Provides silent cocking &amp; safe de-cocking. Remove your hand at any point &amp; the handle stops in place.

**SCOPE STRUTS**

Provide a rock-solid foundation for optics to deliver long-range accuracy &amp; "bulletproof" in-the-field durability.

**100-YARD  
EVO-X® MARKSMAN™ ELITE SCOPE**

Variable speed scope maximizes accuracy out to 100-yards.

**NEW S2 TRIGGER**

2-stage, zero-creep design features a NEW DFP (Dry-Fire-Prohibitor) &amp; roller sear system for greater trigger control &amp; precision down-range accuracy.

**SENTRY BOWHANGER**

Easily hang your bow in the stand or protect your broadhead from dirt &amp; grit in the ground blind.

**SHIPS FULLY ASSEMBLED**

## SPECIFICATIONS

SPEED	WIDTH	LENGTH
<b>415</b> FPS	<b>9.5</b> INCHES	<b>33.25</b> INCHES

**ACUSLIDE COCKING & DE-COCKING SYSTEM**  
(Patented)

Provides silent cocking &amp; safe de-cocking. Remove your hand at any point &amp; the handle stops in place.

**SCOPE STRUTS**

Provide a rock-solid foundation for optics to deliver long-range accuracy &amp; "bulletproof" in-the-field durability.

**100-YARD  
RANGEMASTER™ 100 SCOPE**

Variable speed scope maximizes accuracy out to 100-yards.

**NEW S2 TRIGGER**

2-stage, zero-creep design features a NEW DFP (Dry-Fire-Prohibitor) &amp; roller sear system for greater trigger control &amp; precision down-range accuracy.

**BOW HOOK**

Easily hang your bow in the stand or protect your broadhead from dirt &amp; grit in the ground blind.

**SHIPS FULLY ASSEMBLED**

## NEW TURBO X™

FASTEST, LIGHTEST, MOST ACCURATE TURBO EVER.


## AVAILABLE FINISHES



VEIKTRA™



MOSS GREEN



9.5-INCHES WIDE



## VENOM X™

**LIGHTEST & LOWEST-PRICED ACUSLIDE CROSSBOW EVER.**

### AVAILABLE FINISHES



VEKTRA™



MOSS GREEN



9.75-INCHES WIDE



## SPECIFICATIONS

**SPEED** 390 FPS **WIDTH** 9.75 INCHES **LENGTH** 32.5 INCHES



### ACUSLIDE COCKING & DE-COCKING SYSTEM

Provides silent cocking & safe de-cocking. Remove your hand at any point & the handle stops in place.

### SCOPE STRUTS

Provide a rock-solid foundation for optics to deliver long-range accuracy & "bulletproof" in-the-field durability.

### 70-YARD

#### PRO-VIEW 400 LIGHTED SCOPE

Offers aimpoints out to 70-yards & features a lighted reticle for a cleaner view & greater down-range accuracy.

### BOW HOOK

Easily hang your bow in the stand or protect your broadhead from dirt & grit in the ground blind.

### NEW S2 TRIGGER

2-stage, zero-creep design features a NEW DFP (Dry-Fire-Prohibitor) & roller sear system for greater trigger control & precision down-range accuracy.

### LIGHTWEIGHT 6.7 POUNDS & COMPACT 9.75-INCH PROFILE

More mobility & more shot opportunities in-the-field by reducing the chance for cam/limb contact in the stand or blind.

**SHIPS FULLY ASSEMBLED**

## SPECIFICATIONS

**SPEED** 400 FPS **WIDTH** 9.75 INCHES **LENGTH** 33 INCHES

### ACUDRAW SILENT™

Easiest ACUDraw to operate – providing silent cocking & reducing the draw weight to just 5 lbs. for easy & effortless cocking.

### 70-YARD

#### PRO-VIEW 400 LIGHTED SCOPE

Offers aimpoints out to 70-yards & features a lighted reticle for a cleaner view & greater down-range accuracy.

### BOW HOOK

Easily hang your bow in the stand or protect your broadhead from dirt & grit in the ground blind.

### LIGHTWEIGHT 6 POUNDS & COMPACT 9.75-INCH PROFILE

More mobility & more shot opportunities in-the-field by reducing the chance for cam/limb contact in the stand or blind.

### INTEGRATED STRING STOP SYSTEM

Reduces noise & vibration.

**SHIPS FULLY ASSEMBLED**

## TITAN 400™

**OUR ALL-TIME BEST-SELLING CROSSBOW, NOW 400 FPS WITH SILENT COCKING.**


### AVAILABLE FINISH



VEKTRA™



9.75-INCHES WIDE



AVAILABLE AS COMPLETE PACKAGE SEE PAGES 14-15







						
	<b>TRX 515</b> SAFE DE-COCKING	<b>NEW TRX 26</b> SAFE DE-COCKING	<b>TX 440</b> SAFE DE-COCKING	<b>FLATLINE 460</b> SAFE DE-COCKING	<b>NEW TX 28</b> SAFE DE-COCKING	<b>SIEGE 425</b> SAFE DE-COCKING
<b>LENGTH</b> WITHOUT FOOT-STIRRUP	29"	26.5"	28"	26.5"	28"	26.5"
<b>WIDTH</b> UNCOCKED / COCKED	12" / 6"	11" / 5.75"	11" / 6.5"	12" / 7.5"	11" / 6.5"	12" / 7.5"
<b>POWER STROKE</b>	16"	13.6"	12"	13.5"	12"	13.5"
<b>DRAW WEIGHT</b>	300	300	300	300	250	220
<b>WEIGHT</b> WITHOUT ACCESSORIES OR STIRRUP	7.6 lbs. (w/ACUslide MAXX)	7.3 lbs. (w/ACUslide MAXX)	7.2 lbs. (w/ACUslide MAXX)	7.5 lbs. (w/ACUslide)	7.2 lbs. (w/ACUslide MAXX)	7.5 lbs. (w/ACUslide)
<b>PERFORMANCE</b> FEET-PER-SECOND / FOOT-POUNDS KE						
<b>PRO ELITE 400</b> 410-GRAINS	515 / 241	460 / 193	440 / 176	N/A	410 / 153	N/A
<b>EVO-X CENTERPUNCH 16</b> 410-GRAINS	N/A	N/A	N/A	460 / 193 (Supplied arrow speed / KE)	N/A	425 / 164 (Supplied arrow speed / KE)
<b>EVO-X CENTERPUNCH</b> 445-GRAINS	N/A	N/A	N/A	N/A	N/A	N/A
<b>EVO-X CENTERPUNCH HPX</b> 445-GRAINS	495 / 242 (Supplied arrow speed / KE)	440 / 191 (Supplied arrow speed / KE)	420 / 174 (Supplied arrow speed / KE)	N/A	390 / 150 (Supplied arrow speed / KE)	N/A
<b>COCKING DEVICE</b>	ACUslide MAXX	ACUslide MAXX	ACUslide MAXX	ACUslide	ACUslide MAXX	ACUslide
<b>PACKAGE INCLUDES</b>	Quiver 3 EVO-X HPX Arrows	Quiver 3 EVO-X HPX Arrows	Quiver 3 EVO-X HPX Arrows	Quiver 6 EVO-X 16 Arrows	Quiver 3 EVO-X HPX Arrows	Quiver 3 EVO-X 16 Arrows
<b>SCOPE, FINISH, &amp; ITEM NUMBER</b>	<b>Garmin® XERO® X1i:</b> Vektra: CB24001-7879  <b>Burris® Oracle X™:</b> Vektra: CB24001-7869  <b>EVO-X Marksman Elite:</b> Vektra: CB24001-7899 Moss Green: CB24001-1899	<b>Burris® Oracle X™:</b> Veil Alpine™: CB25003-7869  <b>RangeMaster 100:</b> Veil Alpine™: CB25003-7849 Moss Green: CB25003-1849	<b>Garmin® XERO® X1i:</b> Vektra: CB24002-7879  <b>Burris® Oracle X™:</b> Vektra: CB24002-7869  <b>EVO-X Marksman Elite:</b> Vektra: CB24002-7899 Moss Green: CB24002-1899	<b>Burris® Oracle X™:</b> Veil Alpine™: CB23008-6869  <b>EVO-X Marksman Elite:</b> Veil Alpine™: CB23008-6889	<b>RangeMaster 100:</b> Vektra: CB25004-7849 Moss Green: CB25004-1849	<b>RangeMaster 100:</b> Vektra: CB24012-7549 Moss Green: CB24012-1549



STEALTH 450 SAFE DE-COCKING	<b>NEW</b> TURBO X SAFE DE-COCKING	VENOM X SAFE DE-COCKING	TITAN 400
33"	33.25"	32.5"	33"
11" / 6.5"	13" / 9.5"	13" / 9.75"	13" / 9.75"
13"	12.75"	11.75"	12"
300	230	215	215
7.5 lbs. (w/ACUslide)	6.8 lbs. (w/ACUslide)	6.7 lbs. (w/ACUslide)	6 lbs. (w/out ACUdraw Silent)
450 / 184 (Supplied arrow speed / KE)	415 / 157 (Supplied arrow speed / KE)	390 / 138 (Supplied arrow speed / KE)	400 / 146 (Supplied arrow speed / KE)
N/A	N/A	N/A	N/A
430 / 183	395 / 154	370 / 135	380 / 143
430 / 183	395 / 154	370 / 135	380 / 143
ACUslide	ACUslide	ACUslide	ACUdraw Silent
Quiver 3 Pro Elite 400 Arrows	Quiver 3 Pro Elite 400 Arrows	Quiver 3 Pro Elite 400 Arrows	Quiver 3 Pro Elite 400 Arrows
<b>Burris® Oracle X™:</b> Veil Alpine™: CB23019-6869  <b>EVO-X Marksman Elite:</b> Veil Alpine™: CB23019-6889	<b>RangeMaster 100:</b> Vektra: CB25020-7549 Moss Green: CB25020-1549	<b>Pro-View 400:</b> Vektra: CB24007-7559 Moss Green: CB24007-1559	<b>Pro-View 400:</b> Vektra: CB24047-7556







**BUILT RIGHT. RIGHT HERE.™**

**AMERICA-BUILT CRAFTSMANSHIP YOU CAN DEPEND ON.**

**DE-COCKING STARTING AT \$699.99**

Lowest price ever for a de-cocking crossbow!

**LIGHTED SCOPE OPTIONS**

Most Wicked Ridge crossbows are packaged with lighted scopes.

**BUILT-IN COCKING DEVICES**

Over 90% of consumers prefer a built-in cocking device over competitor's bulky clamp-on devices.

- Nothing to forget
- Fewer steps
- Easier to cock

**MORE COMFORTABLE TO SHOOT**

Shoulder & shoot our ACUdraw crossbows vs. competing models & feel the difference in our natural eye-to-scope alignment.



**BUILT IN AMERICA**  
MOGADORE, OHIO

**GORDON GLASS™  
DOUBLE LAMINATED LIMBS**

Provide unmatched durability compared to competitor's imported models.





# NEW INVADER M1™ DE-COCK

ALL-TIME BEST-SELLING WICKED RIDGE CROSSBOW NOW DE-COCKS.

SPEED  
**390** FPS

WEIGHT  
**5.8** INCHES

WIDTH  
**9.5** INCHES

LIMITED  
LIFETIME  
WARRANTY

SHIPS FULLY  
ASSEMBLED



BUILT IN AMERICA  
Mogadore, Ohio

GORDON GLASS™ | AVIENT

## AVAILABLE FINISH



PEAK™



### ACUDRAW DE-COCK COCKING & DE-COCKING SYSTEM

(Patented)

Provides silent cocking & safe de-cocking. Remove your hand at any point & the handle stops in place.

### LIGHTWEIGHT 5.8-POUNDS & COMPACT 9.5-INCH PROFILE

More mobility & more shot opportunities by reducing the chance for cam/limb contact in the stand or blind.

### 70-YARD PRO-VIEW 400 LIGHTED SCOPE

Offers aimpoints out to 70-yards & features a lighted reticle for a cleaner view & greater down-range accuracy. (Illuminated red or green)

### PRE-SIGHTED AT 20-YARDS

Pre-sighted by American workers before leaving the factory to ensure your first shots are on target.

### SENTRY BOWHANGER

Easily hang your bow in the stand or protect your broadhead from dirt & grit in the ground blind.

### BUILT IN AMERICA

Inspected, built, & tested in Mogadore, Ohio, giving you craftsmanship you can depend on.

### ALSO AVAILABLE WITH ACUDRAW 50 SLED DE-COCK

Provides manual cocking & de-cocking.



9.5-INCHES WIDE



## FURY 410™ DE-COCK

VALUE-PRICED DE-COCKING WITH REVERSE-DRAW SPEED.

### AVAILABLE FINISH



PEAK XT™



9-INCHES WIDE

COMPACT-FOOTPRINT  
29-INCHES



## SPECIFICATIONS

SPEED  
**410** FPS

WIDTH  
**9** INCHES

LENGTH  
**29** INCHES

### ACUDRAW DE-COCK COCKING & DE-COCKING SYSTEM

(Patented)  
Provides silent cocking & safe de-cocking. Remove your hand at any point & the handle stops in place.

**100-YARD  
RANGEMASTER® 100 SCOPE**  
Variable speed scope maximizes accuracy out to 100-yards.

**PRE-SIGHTED AT 20-YARDS**  
Pre-sighted by American workers before leaving the factory to ensure your first shots are on target.

**SHIPS FULLY ASSEMBLED**

### D1 TRIGGER

(Patented)  
2-stage, zero creep design featuring a DFP (Dry-Fire-Prohibitor) delivers a consistent, crisp 3 1/2 - pound pull.

### REVERSE-DRAW DESIGN

Generates more speed with less draw weight for a smoother shot, & provides superior balance for increased accuracy.

### BUILT IN AMERICA

Inspected, built, & tested in Mogadore, Ohio, giving you craftsmanship you can depend on.

GORDON GLASS™ | AVIENT

## RDX 410™

OUR BEST-SELLING WICKED RIDGE REVERSE-DRAW.  
SHORTER. FASTER. SILENT COCKING.

### AVAILABLE FINISH



PEAK XT™



9-INCHES WIDE

COMPACT-FOOTPRINT  
29-INCHES



## SPECIFICATIONS

SPEED  
**410** FPS

WIDTH  
**9** INCHES

LENGTH  
**29** INCHES

### ACUDRAW SILENT

(Patented)  
Easiest ACUDraw to operate – providing silent cocking & reducing the draw weight to just 5 lbs. for easy & effortless cocking.

**70-YARD  
PRO-VIEW 400 LIGHTED SCOPE**  
Offers aimpoints out to 70-yards & features a lighted reticle for a cleaner view & greater down-range accuracy. (Illuminated red or green)

**PRE-SIGHTED AT 20-YARDS**  
Pre-sighted by American workers before leaving the factory to ensure your first shots are on target.

**SHIPS FULLY ASSEMBLED**

### REVERSE-DRAW DESIGN

Generates more speed with less draw weight for a smoother shot, & provides superior balance for increased accuracy.

### INTEGRATED STRING STOP SYSTEM

Reduces noise & vibration.

### BUILT IN AMERICA

Inspected, built, & tested in Mogadore, Ohio, giving you craftsmanship you can depend on.

GORDON GLASS™ | AVIENT

## INVADER M1™

OUR ALL-TIME BEST-SELLING WICKED RIDGE CROSSBOW.  
NARROWER, SHORTER, & LIGHTER THAN EVER.

### AVAILABLE FINISH



PEAK XT™



## SPECIFICATIONS

SPEED	WEIGHT	WIDTH
<b>390</b> FPS	<b>5.8</b> POUNDS	<b>9.5</b> INCHES

### BUILT-IN ACUDRAW

Best-in-class crank cocking device reduces draw weight to just 5 lbs. for easy & effortless cocking.

### 70-YARD

#### PRO-VIEW 400 LIGHTED SCOPE

Offers aimpoints out to 70-yards & features a lighted reticle for a cleaner view & greater down-range accuracy. (Illuminated red or green)

### BUILT IN AMERICA

Inspected, built, & tested in Mogadore, Ohio, giving you craftsmanship you can depend on.

### LIGHTWEIGHT 5.8-POUNDS & COMPACT 9.5-INCH PROFILE

More mobility & more shot opportunities by reducing the chance for cam/limb contact in the stand or blind.

### PRE-SIGHTED AT 20-YARDS

Pre-sighted by American workers before leaving the factory to ensure your first shots are on target.

### SENTRY BOWHANGER

Easily hang your bow in the stand or protect your broadhead from dirt & grit in the ground blind.

SHIPS FULLY ASSEMBLED

GORDON GLASS™ | AVIENT

## RAMPAGE XS™

THE ULTIMATE AFFORDABLE HUNTING MACHINE.

### AVAILABLE FINISH



PEAK XT™



## SPECIFICATIONS

SPEED	WEIGHT	LENGTH
<b>390</b> FPS	<b>5.8</b> POUNDS with Tactical Stock	<b>31.5</b> INCHES

### AVAILABLE WITH:

#### XS STOCK WITH BUILT-IN ACUDRAW (OPTIONAL)

Best-in-class crank cocking device reduces draw weight to just 5 lbs. for easy & effortless cocking.

#### TACTICAL STOCK WITH ROPE-SLED (OPTIONAL)

Locks in six positions & allows for up to 2 1/2" of adjustability in 1/2" increments.

### FEATURES:

### 70-YARD

#### PRO-VIEW 400 LIGHTED SCOPE

Offers aimpoints out to 70-yards & features a lighted reticle for a cleaner view & greater down-range accuracy. (Illuminated red or green)

### PRE-SIGHTED AT 20-YARDS

Pre-sighted by American workers before leaving the factory to ensure your first shots are on target.

### BUILT IN AMERICA

Inspected, built, & tested in Mogadore, Ohio, giving you craftsmanship you can depend on.

GORDON GLASS™ | AVIENT



# COMMANDER M1™

**BUILT-IN COCKING DEVICE. NARROW PROFILE.  
AMERICAN-BUILT QUALITY AT UNBEATABLE PRICES.**

AVAILABLE FINISH



PEAK™



## SPECIFICATIONS

SPEED	WEIGHT	WIDTH
<b>380</b> FPS	<b>5.8</b> POUNDS	<b>9.5</b> INCHES

### AVAILABLE WITH:

**BUILT-IN ACUDRAW** (OPTIONAL)  
Best-in-class crank cocking device reduces draw weight to just 5 lbs. for easy & effortless cocking.

**LIGHTWEIGHT STOCK WITH ROPE-SLED** (OPTIONAL)

### FEATURES:

**MULTI-LINE SCOPE**  
Offers aimpoints out to 50-yards & features fully coated 4x optics.

**LIGHTWEIGHT 5.8-POUNDS & COMPACT 9.5-INCH PROFILE**  
More mobility & more shot opportunities by reducing the chance for cam/limb contact in the stand or blind.

**PRE-SIGHTED AT 20-YARDS**  
Pre-sighted by American workers before leaving the factory to ensure your first shots are on target.

**BUILT IN AMERICA**  
Inspected, built, & tested in Mogadore, Ohio, giving you craftsmanship you can depend on.

GORDON GLASS™ | RVIENT





	<b>FURY 410 DE-COCK</b> SAFE DE-COCKING	<b>NEW INVADER M1 DE-COCK</b> SAFE DE-COCKING	<b>RDX 410</b>	<b>INVADER M1</b>	<b>RAMPAGE XS</b>	<b>COMMANDER M1</b>
<b>LENGTH</b> WITHOUT FOOT-STIRRUP	29"	32"	29"	32"	31.5"	34.5"
<b>WIDTH</b> UNCOCKED / COCKED	15" / 9"	14" / 9.5"	15" / 9"	14" / 9.5"	19" / 15"	14" / 9.5"
<b>POWER STROKE</b>	15.5"	13.8"	15.5"	13.8"	13.5"	13.8"
<b>DRAW WEIGHT</b>	200	190	200	190	175	180
<b>WEIGHT</b> WITHOUT ACCESSORIES	7.5 lbs.	5.8 lbs.	7.5 lbs.	5.8 lbs.	5.8 lbs.	5.8 lbs.

## PERFORMANCE

FEET-PER-SECOND / FOOT-POUNDS KE

<b>PRO LITE</b> 370-GRAINS	410 / 138	390 / 125	410 / 138	390 / 125	390 / 125	380 / 119
<b>WR MATCH 400 CARBON</b> 410-GRAINS	400 / 146 (Supplied arrow speed / KE)	380 / 131 (Supplied arrow speed / KE)	400 / 146 (Supplied arrow speed / KE)	380 / 131 (Supplied arrow speed / KE)	380 / 131 (Supplied arrow speed / KE)	370 / 125 (Supplied arrow speed / KE)
<b>SCOPE</b>	RangeMaster 100	Pro-View 400	Pro-View 400	Pro-View 400	Pro-View 400	Multi-Line
<b>PACKAGE INCLUDES</b>	Quiver 3 Match 400 Arrows	Quiver 3 Match 400 Arrows	Quiver 3 Match 400 Arrows	Quiver 3 Match 400 Arrows	Quiver 3 Match 400 Arrows	Quiver 3 Match 400 Arrows
<b>COCKING DEVICE &amp; ITEM NUMBER</b>	ACUdraw De-Cock: WR22060-4518	ACUdraw De-Cock: WR25005-9558  ACUdraw 50 SLED De-Cock: WR25005-9557	ACUdraw Silent: WR24060-4556	ACUdraw: WR24005-4552	ACUdraw: WR23015-4522  Rope-Sled: WR23015-4525	ACUdraw: WR24003-9532  Rope-Sled: WR24003-9534



# NOCKS

## ALPHA-NOCK HP & ALPHA-NOCK HPX

### DESIGNED FOR INCREASED STRING-TO-NOCK ENGAGEMENT & SAME HOLE DOWN-RANGE ACCURACY.

TenPoint's Alpha-Nock HP & Alpha Nock HPX features a deep bowstring groove, a large smooth radius base, & elongated ears. The string on TenPoint's extremely narrow crossbows wraps tightly around the center of the nock resulting in straight nock travel & precision down-range accuracy, while minimizing string serving wear.

The nock's deep channel design increases the string to-nock engagement by 28% & "holds" the bowstring in place during the shot which prevents "shoot-over" or "shoot-under".

The Alpha-Nock HPX features a Nock Retention Groove that snaps into the TriggerTech trigger box on the TX & TRX Series allowing the user to both hear & feel the positive engagement of the nock to the string.

**NOTE:** The Alpha-Nock HPX is required for use with TenPoint rail-less crossbows (TX & TRX Series).

**NOTE:** The Alpha-Nock HPX is compatible with all TenPoint & Wicked Ridge crossbows.

## LIGHTED NOCKS

### ALPHA-BLAZE & ALPHA-BLAZE HPX

TenPoint's Alpha-Blaze & Alpha-Blaze HPX Lighted Nocks contain a one-piece Nock/LED unit that is indexed with the vanes & press fits into the arrow's Aluminum Bushing. Upon firing the crossbow, the bow string pushes the nock fully into the bushing & activates the LED light.

Deactivate the easy on/off lighted nock by pulling the nock straight out until the light turns off. The LED light system lasts for approximately 24 hours when activated.


The lighted nock fits into TenPoint & Wicked Ridge arrows equipped with an HP Aluminum Bushing (sold separately).

### BE SURE THE NOCK'S RAISED LINE INDEXING FEATURE IS PROPERLY ALIGNED WITH THE ODD COLORED VANE ON YOUR ARROW.

\* All TenPoint & Wicked Ridge crossbows require the use of an Alpha-Nock HP or Alpha-Nock HPX Arrow. Failure to do so will void the manufacturer's warranty.

\* All TenPoint rail-less crossbows require the use of an Alpha-Nock HPX Arrow (TX & TRX Series). Failure to do so will void the manufacturer's warranty.

HEA-379.3	3-pack Alpha-Blaze Lighted Nock for HP Bushing - Green
HEA-380.3R	3-pack Alpha-Blaze HPX Lighted Nock for HP Bushing - Red (required for TenPoint rail-less crossbows) not shown



# ARROWS & LIGHTED ARROWS

## TENPOINT CENTERPUNCH HPX LIGHTED & NON-LIGHTED CARBON ARROWS

20-INCH / 445-GRAINS (+/- 1-grain) / BALANCED AT 15.5% FOC / .001" STRAIGHTNESS

Measuring 20-inches in length, weighing 445-grains, & featuring 15.5% FOC, the CenterPunch HPX is spine-aligned to the odd color vane & is TenPoint's most accurate 20" arrow. Each arrow is inspected for straightness to within .001" & each package is weight-grain matched within 1-grain per arrow. Featuring a unidirectional carbon inner layer for stiffness, & a woven carbon fiber outer layer for impact strength, the arrow is straight fletched & equipped with the patented Alpha-Nock HPX. The Alpha-Nock HPX features a Nock Retention Groove that snaps into the TriggerTech trigger box on the TX & TRX Series crossbows allowing the user to both hear & feel the positive engagement of the nock to the string – indicating your arrow is properly locked & loaded in the crossbow. In addition, the "snap-in" design of the Nock Retention Groove eliminates the fit disadvantages & string wear associated with "snap-on" nock designs.

## TENPOINT EVO-X CENTERPUNCH LIGHTED & NON-LIGHTED CARBON ARROWS

20-INCH / 445-GRAINS (+/- 1-grain) / BALANCED AT 15.5% FOC / .001" STRAIGHTNESS

Spine-aligned to the odd color vane, the CenterPunch 20-inch arrow is straight fletched & is fitted with an 87-grain insert & TenPoint's Alpha-Nock HP & Alpha-Nock HP Nock Bushing. Constructed from modulus carbon fiber at 33 MSI (million-pounds-per-square-inch) & wrapped in an exclusive LAZER-TECH carbon weave, it is fletched with 3" Bohning X Vanes™. CenterPunch arrows are inspected for straightness to within .001" & each package is weight-grain matched with-in 1-grain per arrow.

## TENPOINT EVO-X CENTERPUNCH 16 LIGHTED & NON-LIGHTED CARBON ARROWS

16-INCH / 410-GRAINS (+/- 1-grain) / BALANCED AT 17% FOC / .001" STRAIGHTNESS

Designed for crossbows requiring a 16-inch arrow, the CenterPunch 16-inch arrow is fletched slightly offset & is fitted with an 87-grain insert & TenPoint's Alpha-Nock HP & Alpha-Nock HP Nock Bushing. Constructed from modulus carbon fiber at 33 MSI (million-pounds-per-square-inch) & wrapped in an exclusive LAZER-TECH carbon weave. CenterPunch arrows are inspected for straightness to within .001" & each package is weight-grain matched with-in 1-grain per arrow.

## TENPOINT PRO ELITE 400 LIGHTED & NON-LIGHTED CARBON ARROWS

20-INCH / 410-GRAINS (+/- 5-grains) / BALANCED AT 13% FOC / .003" STRAIGHTNESS

The Pro Elite 20-inch carbon arrow is fletched slightly offset & is fitted with a 58-grain aluminum insert, Q2i Fusion X-II 3.0 Vanes, & TenPoint's Alpha Nock HP Nock & Alpha Nock HP Nock Bushing. Pro Elite shafts are inspected for straightness to within .003" & hand-sorted for weight tolerance to within 2-grains per dozen.

## WICKED RIDGE MATCH 400 LIGHTED & NON-LIGHTED CARBON ARROWS

20-INCH / 410-GRAINS (+/- 5-grains) / BALANCED AT 13% FOC / .004" STRAIGHTNESS

The Match 400 20-inch carbon arrow is fletched slightly offset & is fitted with a 58-grain aluminum insert, Q2i Fusion X-II 3.0 Vanes, & TenPoint's Alpha Nock HP Nock & Alpha Nock HP Nock Bushing. Match 400 shafts are inspected for straightness to within .004" & hand-sorted for weight tolerance to within 2-grains per dozen.

## WICKED RIDGE XX75 LIGHTED & NON-LIGHTED ALUMINUM ARROWS


20-INCH / 460-GRAINS / BALANCED AT 10% FOC / .003" STRAIGHTNESS

The XX75 20-inch 2219 aluminum arrow is fletched slightly offset & is fitted with a 13-grain carbon insert, 3.5" Bohning X Vanes™, & TenPoint's Alpha-Nock & Alpha-Nock HP Nock Bushing.

**NOTE:** Alpha-Brite lighted arrows come with original Alpha-Nocks.


### ARROW COMPATIBILITY CHART

ARROW:	FOR USE WITH:	CROSSBOW COMPATIBILITY:
20" CenterPunch HPX	Required for TenPoint Rail-less Crossbows	All TenPoint & Wicked Ridge
20" CenterPunch	Most TenPoint & Wicked Ridge Crossbows	Most TenPoint & Wicked Ridge
16" CenterPunch	TenPoint Crossbows Requiring 16-Inch Arrows	TenPoint Crossbows Requiring 16-Inch Arrows
Pro Elite 400	Most TenPoint & Wicked Ridge Crossbows	Most TenPoint & Wicked Ridge
Match 400	For Use with All Wicked Ridge Crossbows	All Wicked Ridge Crossbows
XX75 Aluminum	For Use with All Wicked Ridge Crossbows	All Wicked Ridge Crossbows




HEA-770.6	6-pack (w/Alpha-Nock HPX)
HEA-779.3	3-pack (w/Alpha-Blaze HPX lighted nocks)

\*All 3- & 6-packs come with 100-grain field points



HEA-740.6	6-pack (w/Alpha-Nock)
HEA-749.3	3-pack (w/Alpha-Blaze lighted nocks)

\*All 3- & 6-packs come with 100-grain field points




HEA-750.6	6-pack (w/Alpha-Nock)
HEA-759.3	3-pack (w/Alpha-Blaze lighted nocks)

\*All 3- & 6-packs come with 100-grain field points



HEA-660.3	3-pack (w/Alpha-Nock HP)
HEA-660.6	6-pack (w/Alpha-Nock HP)
HEA-669.3	3-pack (w/Alpha-Blaze lighted nocks)

\*All 3- & 6-packs come with 100-grain field points



HEA-760.3	3-pack (w/Alpha-Nock HP)
HEA-760.6	6-pack (w/Alpha-Nock HP)
HEA-769.3	3-pack (w/Alpha-Blaze lighted nocks)

\*All 3- & 6-packs come with 100-grain field points



HEA-060.3	3-pack (w/Alpha-Nock HP)
HEA-060.6	6-pack (w/Alpha-Nock HP)
HEA-068.3	3-pack (w/Alpha-Brite lighted nocks)

\*All 3- & 6-packs come with 100-grain field points





## BROADHEADS

### TENPOINT NEMESIS

#### 4-BLADE EXPANDABLE BROADHEAD

The 100-grain Nemesis Broadhead is designed for maximum penetration & hemorrhage, cutting a 2-blade, 2" entry wound & a 4-blade, 2" x 1.75" exit hole for a devastating total cut of 3.75". Designed to transfer the extra energy of today's fastest crossbows into more lethal power, the Nemesis is the most accurate mechanical broadhead & inflicts more damage to create a larger hole, more blood loss, & better blood trails for a faster recovery.



HEA-B04.3 Nemesis Broadhead (3-pack)

### TENPOINT CENTERPUNCH

#### 2-BLADE EXPANDABLE BROADHEAD

Designed for strength, the 100-grain, rear-deploying EVO-X CenterPunch Broadhead features a collarless design that delivers field point accuracy & a devastating 1 7/8" cut. Its 7075 T6 aluminum ferrule, ultra-strong precision point, & scalpel sharp blades stay closed during flight – creating massive wound channels & leaving huge blood trails.



HEA-B00.3 CenterPunch Broadhead (3-pack)

### TENPOINT MONTEC

#### 3-BLADE FIXED BROADHEAD

Built exclusively for TenPoint by G5, this one-piece, 100-grain broadhead is designed for maximum strength & pin-point accuracy, & features a three-blade, cut-on-contact design with a devastating 1 1/8" cut.




HEA-B01.3 Montec Broadhead (3-pack)

### WICKED RIDGE IMPACT

#### 2-BLADE EXPANDABLE BROADHEAD

Designed for precision, durability, & performance at a great value, the 100-grain, 2-blade, rear-deploying Impact broadhead features a steel construction & a simple, collarless design that delivers field point accuracy & a devastating 2" cut. Its stainless-steel ferrule & ultra-strong bone-crushing tip deliver massive wound channels & huge blood trails, while its floating blade design ensures the blades do not open in-flight.




HEA-B03.3 Impact Broadhead (3-pack)

## CROSSBOW CASES

### TENPOINT HALO BOWPACK

COMPACT CROSSBOW BOWPACK DESIGNED FOR SAFE TRANSPORT TO THE STAND OR BLIND.




HCA-20120 HALO Bowpack - Custom Designed for TenPoint's Havoc RS440, Siege RS410, Siege 425, Flatline 460, TRX 26, TX 28, & TX 440  
**DIMENSIONS:** Pack Length: 30" | Pack Width 15.5" | Pack Depth 11"



### WICKED RIDGE AMBUSH BOWPACK

AFFORDABLE CROSSBOW BOWPACK DESIGNED FOR SAFE TRANSPORT OF WICKED RIDGE CROSSBOWS.



WRA221 AMBUSH Bowpack - Custom Designed for most 2019 Wicked Ridge Models 33" long or shorter  
**DIMENSIONS:** Pack Length: 33" | Pack Width 19" | Pack Depth 11"



### STAG CASE

Designed for maximum protection & durability, these rigid, water-resistant cases feature an extremely durable shell, as well as a velvet interior for added protection. The interior of the case includes two hook & loop straps to secure the crossbow during travel, & storage for a quiver that also includes straps. If used with TSA approved locks, the case is TSA compliant.



HCA-20318 TenPoint STAG Case / Black / Fits all of TenPoint's 2019 & newer crossbow line-up (except models with Rangefinding scopes)  
**DIMENSIONS:** Case Length: 36.75" (not including foot stirrup pass-thru) / Case Width: 18" / Case Depth: 10.75" / Interior Length: 36.25" / Interior Width: 17.5" / Interior Depth: 10.25"

### SOFT CASES

These ultra-durable soft cases ensure protection needed for travel &/or storage of your crossbow. They contain deep, sturdy side panels to accommodate mounted optics, adjustable carry strap(s), & zippered compartment(s) for accessories.



HCA-20119 Narrow Soft Case / Black / Fits all of TenPoint's 2019 & newer crossbow line-up  
**DIMENSIONS:** Case Length: 40.5" / Case Width: 18.5" / Case Depth: 10.75"  
WRA220 Wicked Ridge Soft Crossbow Case / Black / Fits 2018 & newer Wicked Ridge crossbows (except Ranger & Lady Ranger models)  
**DIMENSIONS:** Case Length: 38" / Case Width: 22.5" / Case Depth: 10.75"

## SLINGS

### NEW TENPOINT PREMIUM SLING

The Premium Grip Crossbow Sling features an over-molded rubber shoulder pad that improves grip & silent quick-release sling swivels. The wear-resistant nylon strap adjusts from 30" – 41.5" to suit your crossbow hunting needs & the shoulder pad is textured & tapered to provide max surface area for grip at the shoulder.



NEW HCA-00425 TenPoint Premium Sling  
HCA-004 TenPoint Neoprene Sling  
WRA004 Wicked Ridge Neoprene Sling



## NEW HARD CASE

### AIRLINE-APPROVED HARD CASE

The all-in-one solution for protecting your crossbow & all necessary equipment during transportation to your hunt.



EASY-TO-USE LATCHES

FIVE LOCK PORTS TO ADD ANY STANDARD LOCK

WHEELS FOR EASY TRANSPORT

TWO OVERMOLDED RUBBER HANDLES FOR EASY TRANSPORT

WATERPROOF SEAL

HEAVY-DUTY EXTERIOR BUILT FROM RUGGED LIGHT-WEIGHT POLYPROPYLENE COPOLYMER.

### EXTERIOR DIMENSIONS:

CASE LENGTH: 41" CASE WIDTH: 21" CASE DEPTH: 13.75"

HCA-20425 Hard Case

### FIND MODEL-SPECIFIC FIT CHART AT [TENPOINTCROSSBOWS.COM](http://TENPOINTCROSSBOWS.COM)

Fits forward draw crossbows measuring up to 14.5" axle-to-axle uncocked & up to 34.25" in length.

Fits reverse-draw crossbows measuring up to 13" axle-to-axle uncocked & up to 32.5" in length.



### SIX INTERIOR STORAGE AREAS ARE SPECIFICALLY DESIGNED TO FIT WHAT YOU NEED FOR THE HUNT!

- Quiver with arrows & broadheads
- Rangefinder
- Two general storage areas
- Crank handle
- Tripod or arrow tube

## TRIPODS

### NEW AXIS™ XL CARBON TRIPOD

#### SHOOTING STABILITY & PRECISION FOR ALL HUNTING SITUATIONS

Designed for all hunting situations with ground blind to standing height adjustment, the Axis XL features premium woven carbon fiber legs that provide lightweight durability, rigidity & extends up to 58" standing height – all while maintaining an ultra-compact carry footprint.

- Extends up to 58" & collapses down to 27.5".
- Rugged 28mm Premium Woven Carbon Fiber Legs.
- Non-slip lever locks provide easy, secure height adjustment.
- Ultra-smooth ball head mount with 360-degrees of rotation & unlimited degrees of tilt.
- Built-in rubber snubber keeps the tripod legs cinched together for compact quiet carry.
- Includes two integrated bubble levels & "hunt hammock" to keep key items like your rangefinder or calls in easy reach.
- For use with both firearms & crossbows.
- Carry bag included.

#### FOOTPRINT VS. COMPETITORS FOOTPRINT (GROUND BLIND HUNTING SETUP)



HCA-038-CXL Axis XL Tripod



1/4 TURN LOCK KNOB

CLAMP-ON DESIGN FOR CROSSBOW & FIREARMS


### AXIS™ ALUMINUM TRIPOD

#### SHOOTING STABILITY SPECIFICALLY DESIGNED FOR BLIND HUNTING

Designed specifically for blind hunting, the Axis uses less than 1/2 the floor space of competitor tripods – allowing for more equipment & shooting coverage in the tight confines of a blind where inches make the difference. The Axis weighs 50% less than competitor tripods & collapses down to 25" to make packing & carrying your hunting kit easier than ever.

- Extends up to 40" tall & collapses down to 25".
- Slim 25mm Aluminum Legs.
- Non-slip lever locks provide easy, secure height adjustment.
- Ultra-smooth ball head mount with 360-degrees of rotation & unlimited degrees of tilt.
- Includes two integrated bubble levels & "hunt hammock" to keep key items like your rangefinder or calls in easy reach.
- For use with both firearms & crossbows.
- Carry bag included.

HCA-038 Axis Tripod





# SCOPES

## EVO-X® MARKSMAN™ ELITE

RETICLE: 20-100-YARDS

The brightest & most accurate variable speed crossbow scope on the market, this scope features a variable speed & arrow drop-compensation setting for crossbows that shoot between 380 & 550 FPS. Its innovative configuration, consisting of three illuminated (red or green) duplex crosshairs calibrated at 20-, 40-, & 60-yards, two illuminated (red or green) dots at 30- & 50-yards, & four non-illuminated chevrons at 70-, 80-, 90-, & 100-yards, presents the shooter with a simplified aiming system. Offered in lack or Veil Alpine camo, the scope's 30mm aluminum tube is equipped with an etched glass reticle & fully multi-coated 2-8x optics that increase field-of-view & brightness in low light settings. External, micro-adjustable target turrets provide easy adjustment to windage & elevation for unmatched long-range accuracy.



HCA-095.3VA	EVO-X Marksman Elite Scope with flip-up scope caps – Veil Alpine™
HCA-095.3	EVO-X Marksman Elite Scope with flip-up scope caps – Black

## PRO-VIEW™ 400

RETICLE: 20-70-YARDS

Illuminated for lowlight precision & featuring aim points out to 70-yards for crossbows shooting between 380 & 420 FPS. The 4x Pro-View 400 lighted scope features an enhanced reticle that provides a cleaner view for the shooter leading to greater down-range accuracy.



HCA-097-4	Pro-View 400 Scope with flip-up scope caps
-----------	--

## RANGEMASTER® 100

RETICLE: 20-100-YARDS

This waterproof & fog-proof scope features a variable speed & drop-compensation setting for crossbows that shoot between 380 & 505 FPS. The configuration consists of nine aiming points in 10-yard increments - three illuminated dots calibrated at 20-, 30-, & 40-yards, three illuminated crosshairs at 50-, 60-, & 70-yards, & three illuminated chevrons at 80-, 90-, & 100-yards. An infinite-position rheostat controls the light intensity of the red or green illuminated dots/crosshairs/chevrons. The scope's 30mm aluminum tube is equipped with an etched glass reticle & fully multi-coated 2-7x optics (scope magnification dictated by arrow speed) that increase field-of-view & brightness in low light settings.



**NEW**  
VEKTRA™ CAMO FINISH

<b>NEW</b> HCA-09212-VK	RangeMaster 100 Scope with flip-up scope caps – Vektra
HCA-09812	RangeMaster 100 Scope with flip-up scope caps – Black

## ALIGN™ 800 RANGEFINDER

Pinpoint hunting precision is only possible when you know the exact distance for the shot. The Align 800 combines 1-yard accuracy with angle compensation to provide you with the exact distance to the target. The multi-coated lenses offer a crisp, bright image in low light. Includes pouch, lanyard, & lens cloth. Well concealed in Vektra camo.

Range: 5-800-Yards | Accuracy: +/- 1-yard | Angle Compensation |  
6x Magnification | 24 mm | LCD Display | Weight: 8 oz. | Size: 1.6" x 4.25" x 3"



HCA-094	Align 800 Rangefinder
---------	-----------------------

# ACCESSORIES & MAINTENANCE

## REPLACEMENT CRANK HANDLES



HCA-447	XTEND Short Crank Handle (Compatible with ACUslide crossbows)
HCA-448	ACUdraw DC Crank Handle (Compatible with Titan De-Cock, Fury 410 De-Cock, & Raider 400 De-Cock)
HCA-430	Crank Handle (Compatible with ACUdraw & ACUdraw PRO)
HCA-441	6-Inch ACUslide MAXX / ACUslide / ACUdraw De-Cock Crank Handle

## TENPOINT STRING WAX & CONDITIONER


Made from all-natural compounds. Comes in a convenient chap-stick style tube. Lubricates & rejuvenates bow strings & cables.



HCA-11007	TenPoint String Wax & Conditioner
-----------	-----------------------------------

## STEDDYEDDY® (PATENTED)

The SteddyEddy telescoping two-section monopod ensures motion-free shooting while seated or standing. It attaches directly to your crossbow using a 360-degree maneuverable rapid-pivot tube equipped with a snap-on connection & clamps under your stock when not in use.



HCA-030	SteadyEddy Crossbow Monopod System (compatible with TenPoint & Wicked Ridge crossbows)
---------	--

## LUBRICANTS

Unlike other manufacturers' gel-based lubricants, will not gum-up in cold weather or collect dirt & grime. Recommended for strings, cables, cocking device cords, & barrel. Both feature Scorpion Venom™ Premium Lubricant.



HCA-111	Flight Rail & Trigger Lube (tube)
HCA-112	Premium Lubricant with Foam Applicator (bottle)

## BEDNAR PERFECT PULLER® 2.0 (PATENTED)

Named for & originally designed by the late Hall of Fame Archer Bill Bednar, the Bednar Perfect Puller 2.0 doubles up as an easy-to-use arrow puller & Alpha-Blaze Lighted Nock Deactivator. Includes three interchangeable grippers sized to fit different shaft diameters of both crossbow & compound arrows.



HCA-10423	Bednar Perfect Puller (with interchangeable grippers)
-----------	---

# COCKING DEVICES

## ACUDRAW

HCA-001-A0	ACUdraw
------------	---------

## ACUSLED

HCA-000-AS	ACUsled (Not for use on TenPoint reverse-draw crossbows)
------------	--

## ACUDRAW 50

HCA-000-A50	ACUdraw 50 (Patented) (Not for use on ultra-narrow or reverse-draw crossbows)
-------------	---

# 2025 STRING & CABLE REFERENCE GUIDE

The following models require a complete upgrade. Please contact the Customer Experience Team at 330-628-9245 for more information:

**Huntsman, HuntMaster, 458 Magnum, Woodsman, Woodsman Plus, Woodsman SE, Slider, Titan, Titan II, Titan SE, Titan TL-4, Titan TL-7 & Maxim**

## TENPOINT

MODELS	STRINGS	CABLES
Turbo Extreme, Magnum Extreme, Hybrid Lite, Elite Lite, Elite X2, Magnum X2, Stealth X2, Turbo X2, Deerslayer, Pro Elite, Elite, Elite QX-4, QX-4, Pro Fusion, Pro Slider, Titan TL-9, Titan HLX, Maverick HP, Pro Elite HP, Blazer HP & Lazer HP	HCA-1115	HCA-124
Phantom Xtra, Phantom CLS, Shadow CLS, Defender CLS, Carbon Xtra CLS & Carbon Fusion CLS	HCA-11607	HCA-12307
Stealth XLT & Turbo XLT	HCA-12110	HCA-12710
Turbo XLT II, Carbon Elite XLT, Stealth SS & Instinct Order	HCA-12112 HCA-12112-R	HCA-12912 HCA-12912-R
Titan Xtreme	HCA-11712	HCA-12612
GT Curve, GT Flex & GT Mag	HCA-12008	N/A
Vapor (2013-2016)	HCA-11813	HCA-12813
Venom (2014-2017)	HCA-12014	HCA-12514
Stealth FX4 & Venom Xtra	HCA-12015-O	HCA-12515-O
Titan SS & Renegade	HCA-11716-S	HCA-12616-S
Carbon Nitro RDX	HCA-12216-R	HCA-13116-R
Carbon Phantom RCX, Eclipse RCX & Titan RCX	HCA-70117	HCA-70017
Titan CLS	WRA183	WRA163
Vengent S440, Stealth NXT, Shadow NXT & NXT 400	HCA-70319	HCA-70418
<b>Stealth 450* - see serial numbers below for exceptions:</b>		
Stealth 450* serial number: 0062.000001 or higher/0065.000001 or higher	HCA-70319	HCA-70418
Stealth 450* serial number: 0104.000001 or higher/0105.000001 or higher	HCA-70319	HCA-70419
Stealth 450R serial number: 0101.000001 or higher	HCA-70319	HCA-70419
Vapor RS470, Havoc RS440, Siege RS410, XR-410, Nitro XRT, Nitro X, Siege 425, Nitro 505 & Flatline 460	HCA-70318	HCA-70418
<b>Viper S400** &amp; Turbo S1*** - see serial numbers below for exceptions:</b>		
**Viper S400 serial number: 0041.005810 or higher	HCA-70319	HCA-70419
***Turbo S1 serial number: 0051.005243 or higher/0042.007498 or higher	HCA-70319	HCA-70419
Turbo M1, Titan M1 & Titan De-Cock	HCA-11619-S	HCA-11619-C
Viper 430 & Viper S415	HCA-70319	HCA-70419
Titan 400, Venom X & Turbo X	HCA-11621	HCA-11622
TX 440 & TX 28	HCA-70321	HCA-70421
TRX 515	HCA-70320	HCA-70420
TRX26	HCA-70322	HCA-70420

## WICKED RIDGE

MODELS	STRINGS	CABLES
Invader, Invader HP, Warrior & Warrior HL	WRA182	WRA162
Raider CLS	WRA183	WRA163
Ranger, Lady Ranger & Brood	HCA-13215-O	HCA-13315-O
Invader G3 & Warrior G3	HCA-13216-OB	HCA-13316-OB
Invader 400, Rampage 360, Rampage XS, Invader X4, Warrior Ultra-Lite, Ranger X2, Blackhawk 360, Blackhawk XT, Woodsman 360, Carbon Woodsman 375 & Raider 400 De-Cock	HCA-75117	HCA-75017
M-370, Commander M1, Invader M1 & Invader M1 De-Cock	HCA-11619-S	HCA-11619-C
RDX 400, Fury 410 De-Cock, RDX 410 & RDX Silent	HCA-13419-S	HCA-13419-C
NXT400	HCA-70319	HCA-70418

## HORTON

MODELS	STRINGS	CABLES
Storm RDX	HCA-12215	HCA-13115
Vortec RDX	HCA-72717	HCA-72617
Legend Ultra Lite	HCA-11716-R	HCA-12616-S







[WWW.TENPOINTCROSSBOWS.COM](http://WWW.TENPOINTCROSSBOWS.COM)

These products are covered by one or more of the patents found at [www.tenpointcrossbows.com/pages/patent-technologies/](http://www.tenpointcrossbows.com/pages/patent-technologies/).  
NOTE: TenPoint Crossbow Technologies reserves the right to alter product specifications during any model year.

1325 Waterloo Road • Mogadore, OH 44260-9608  
Phone: 330.628.9245 • Fax: 330.628.0999